

Mactac®

Packaging

Non-outgassing UV Acrylic and Hot-Melt Rubber Adhesive



March 2018

For over 60 years Mactac has been a recognized leader of pressure sensitive tape solutions in the Packaging and Foam Bonding markets. Building on this experience Mactac is pioneering the next generation adhesive technologies. Utilizing the newest manufacturing assets in the industry Mactac, provides customers with a range of economical tape solutions for disposables & dunnage to long duration returnable transit. And with the cleanest adhesives on the market, you can rest assured that the most critical of conservation packaging requirements can be met with ease.

Mactac's adhesive technology is available in both tape and bulk forms and is commonly used in applications such as:

- Bag Sealing
- Foam Bonding
- Cork Bonding
- Corrugated Plastic Assembly
- Pouch Sealing
- POS Displays
- Dunnage
- Box Closure
- Fabric Bonding
- Archival



Packaging

Non-outgassing UV Acrylic and Hot-Melt Rubber Adhesive

Applications	Part #	Construction Type	Adhesive
Bag Sealing Pouch Sealing Box Closure	IB1178XT	Two sided	High Performance Rubber Adhesive
	IB1184XTw60	Two sided	High Performance Rubber Adhesive
	IB1190XTw60	Two sided	High Performance Rubber Adhesive
	IB4130-60	Two sided	Aggressive Acrylic Adhesive
	IB4131-72	Two sided	Aggressive Acrylic Adhesive
	IB5121	Two sided	Permanent/Removable Adhesive
	IF1011	Transfer Tape	High Performance Rubber Adhesive
	IF4032-60	Transfer Tape	Aggressive Acrylic Adhesive
	GS2003	Transfer Tape	Ultra Aggressive; Tamper Proof
Container Assembly	IB1190XTw60	Two sided	High Performance Rubber Adhesive
	IB1184XTw60	Two sided	High Performance Rubber Adhesive
	IB4131-72	Two sided	Aggressive Acrylic Adhesive
	IB4132-72	Two sided	Aggressive Acrylic Adhesive
	IF1013	Transfer Tape	High Performance Rubber Adhesive
	IF4032-60	Transfer Tape	Aggressive Acrylic Adhesive
	IF4033-60	Transfer Tape	Aggressive Acrylic Adhesive
Foam Bonding Fabric Bonding Cork Bonding	FBT360	Two sided	Aggressive Rubber/HP Rubber
	IB1178XT	Two sided	High Performance Rubber Adhesive
	IB1190XTw60	Two sided	High Performance Rubber Adhesive
	IB1184XTw60	Two sided	High Performance Rubber Adhesive
	IB4131-72	Two sided	Aggressive Acrylic Adhesive
	IB4132-72	Two sided	Aggressive Acrylic Adhesive
	IF1013	Transfer Tape	High Performance Rubber Adhesive
	IF4032-60	Transfer Tape	Aggressive Acrylic Adhesive
	IF4033-60	Transfer Tape	Aggressive Acrylic Adhesive
POS Displays	IB1178XT	Two sided	High Performance Rubber Adhesive
	IB1190XTw60	Two sided	High Performance Rubber Adhesive
	IB1184XTw60	Two sided	High Performance Rubber Adhesive
	IB4130-60	Two sided	Aggressive Acrylic Adhesive
	IB4131-72	Two sided	Aggressive Acrylic Adhesive
	IF1011	Transfer Tape	High Performance Rubber Adhesive
	IF1013	Transfer Tape	High Performance Rubber Adhesive
	IF4032-60	Transfer Tape	Aggressive Acrylic Adhesive

	Carrier	Liner	Thickness (mils)		Width Inches	Length Feet	Bulk Adhesive Part #
			Unwind	Liner			
	.5 mil PET	60# SCK	1.2	1.2	54	750	Mactac MacMelt XT
	.5 mil PET	80# SCK	2.6	2.6	60	750	Mactac MacMelt XT
	.5 mil PET	60# SCK	2.0	2.0	60	750	Mactac MacMelt XT
	.5 mil PET	60# SCK	1.2	1.2	54	750	Mactac MacMelt UV
	.5 mil PET	72# PCK	1.8	1.8	54	750	Mactac MacMelt UV
	.5 mil PET	72# PCK	1.2	1.0	54	750	NA
	NA	78# SCK	1.8	NA	60	540	Mactac MacMelt XT
	NA	60# SCK	2.0	NA	54	540	Mactac MacMelt UV
	NA	60# SCK	5	NA	0.75	900	Mactac MacMelt XT
	.5 mil PET	60# SCK	2.0	2.0	60	750	Mactac MacMelt XT
	.5 mil PET	80# SCK	2.6	2.6	60	750	Mactac MacMelt XT
	.5 mil PET	72# PCK	1.8	1.8	54	750	Mactac MacMelt UV
	.5 mil PET	72# PCK	2.4	2.4	54	750	Mactac MacMelt UV
	NA	78# SCK	2.6	NA	60	540	Mactac MacMelt XT
	NA	60# SCK	2.0	NA	54	540	Mactac MacMelt UV
	NA	60# SCK	3.0	NA	54	540	Mactac MacMelt UV
	.5 mil PET	60# SCK	1.8	1.2	54	750	Mactac MacMelt MD
	.5 mil PET	60# SCK	1.2	1.2	54	750	Mactac MacMelt XT
	.5 mil PET	60# SCK	2.0	2.0	60	750	Mactac MacMelt XT
	.5 mil PET	80# SCK	2.6	2.6	60	750	Mactac MacMelt XT
	.5 mil PET	72# PCK	1.8	1.8	54	750	Mactac MacMelt UV
	.5 mil PET	72# PCK	2.4	2.4	54	750	Mactac MacMelt UV
	NA	78# SCK	2.6	NA	60	540	Mactac MacMelt XT
	NA	60# SCK	2.0	NA	54	540	Mactac MacMelt UV
	NA	60# SCK	3.0	NA	54	540	Mactac MacMelt UV
	.5 mil PET	60# SCK	1.2	1.2	54	750	Mactac MacMelt XT
	.5 mil PET	60# SCK	2.0	2.0	60	750	Mactac MacMelt XT
	.5 mil PET	80# SCK	2.6	2.6	60	750	Mactac MacMelt XT
	.5 mil PET	60# SCK	1.2	1.2	54	750	Mactac MacMelt UV
	.5 mil PET	72# PCK	1.8	1.8	54	750	Mactac MacMelt UV
	NA	78# SCK	1.8	NA	60	540	Mactac MacMelt XT
	NA	78# SCK	2.6	NA	60	540	Mactac MacMelt XT
	NA	60# SCK	2.0	NA	54	540	Mactac MacMelt UV

Mactac®

Packaging

Non-out Gassing UV Acrylic and Hot-Melt Rubber Adhesive

Meets the following criteria:

FDA 21CFR 175.105

Reach and RoHS

Prop 65 compliant

Consumer Product Safety Improvement Act of 2008

For additional Performance Guides on IB5121-72,
please visit www.mactac.com/industrialtapes.

Mactac is ISO9000-2000 certified.

Mactac is a member of the following organizations:

Gasket Fabricators Association

National Association of Graphic and Product Identification Manufacturers, Inc. (GPI)

Pressure Sensitive Tape Council (PSTC)

