



Mactac PreciseSM & Spliceless Service Program

January 2019

Product	Product Description	APP	COL	HER	KC	LAW	LA	FAL	SCR	VAN
Durables										
BDE6914	2.6 Mil White UV BOPP / MP690 / 3.2 SCK							5		
BDF6914	3.0 Mil White BOPP / MP690 / 3.2 SCK							2.5		
FAB6914	1.0 Mil Clear PET / MP690 / 3.2 SCK							2.5		
FAD6914	2.0 Mil Clear PET / MP690 / 3.2 SCK							2.5 / 5		
FCD4954	2.0 Mil White PET / PAT1 / 50# Glassine							2.5		
FCD6914	2.0 Mil White PET / MP690 / 3.2 SCK			2.5	5			2.5 / 5		
FDD6919N	2.0 Mil White Matte PET TC9 / MP690 / 3.4Mil LF 6"cores							5		
FED6914	2.0 Mil Bright Silver PET / MP690 / 3.2 SCK							2.5		
FFD6914N	2.0 Mil Matte Silver PET/MP690/3.2 SCK							2.5		
FGD6914N	2 Mil Brush Silver PET TC / MP690 / 3.2SCK							2.5		
FJD6914	2.0 Mil Reverse Void PET / MP690 / 3.2 SCK							2.5		
LTC01912-P2.5	2 MIL TESO VOID WHITE 7LK							2.5		
PJ6914	2.6 Mil Label-Lyte / MP690 / 3.2 SCK							2.5		
VGD6911	3.4 Mil Vinyl / MP690 / 3.2 SCK							2.5		
Indigo Printable - INDIE®										
ICP9502	INDIE Clear PP / ST95 / 2.5 SCK		5							
ILL1802	INDIE LABEL-LYTE / 910 / 2.5 SCK		5							
ILL2602	INDIE LABEL-LYTE / 640AT / 2.5 SCK		5	5						SD 5
IMP1810	INDIE White Matte PP / 910 / 3.2 SCK		5							
IMP2601	INDIE White Matte PP / 640AT / 2.5 SCK		5				5			
IMP9001	INDIE White Matte PP / 710VHP / 2.5 SCK		5							
IPLD1802	INDIE 50# Semi Gloss / 910 / 2.45 SCK		5							
ISG1802	INDIE Semi Gloss / 910 / 2.45 SCK		5							
ISG2602	INDIE Semi Gloss / 640AT / 2.5 SCK		5 / 10	5						
Prime Film										
CPS9002	1.5 Clear Polystyrene / 710VHP / 2.5 SCK	10	5							
GF9001	2.6 White Polystyrene / 710VHP / 2.5 SCK		10							
GF9002	2.0 Clear Polystyrene / 710VHP / 2.5 SCK	5 / 10	10	5				5		
GFC7802	CHILE 2.0 Mil Clear Polystyrene / CHILL AT / 2.4 SCL		10							
PF2602	Opticlear 2 / 640AT / 2.5 SCK			10						
PF7002	2.0 Mil Clear BOPP / 711VHP / 2.5 SCK	10	10							
PF7802	CHILE 2.0 Mil Clear BOPP / CHILL AT / 2.4 SCK				5					
PF7891-2	CHILE 2.0 Mil Clear BOPP / CHILL AT / 1.2 Mil PET								10	
PF9002-78	Opticlear 2 / 710VHP / 2.5 SCK	10	10							
PF9502	Opticlear 2 / ST95 / 2.5 SCK		5			10				SD 5
PJ2601	2.6 TC Label-Lyte / 640AT / 2.5 SCK	5	10			5 / 10	SD 5 / 10			5
PJ7002	2.6 TC Label-Lyte / 711VHP / 2.5 SCK	5 / 10	5 / 10		5 / 10	5 / 10	5 / 10	5	10	5 / 10
PJ7802	CHILE 2.6MIL WHITE BOPP / CHILL AT / 2.45 SCK				5 / 10		10		10	10
PJ9001-78	2.6 TC Label-Lyte / 710VHP / 2.5 SCK	SD 5 / 10	5 / 10		5 / 10	5 / 10	SD 5 / 10	5	10	5 / 10
PJ9091-2	2.6 TC Label-Lyte / 710VHP / 1.2 Mil PET	10								
PJ9501	2.6 TC Label-Lyte / ST95 / 2.5 SCK		5 / 10							SD 5 / 10
PTC1691-2	2.0 Mil Clear BOPP / CL216 / 1.2 Mil PET		5	5						
PTC8891-2	2.0 Mil Clear BOPP / MP880 / 1.2 Mil PET		5	10						
PTS1691-2	2.0 Mil Chrome BOPP / CL216 / 1.2 Mil PET		5							
PTS7801	CHILE 2.0 Mil Chrome BOPP / CHILL AT / 2.4 SCK		5							
PTS9501	2.0 Mil Chrome BOPP / ST95 / 2.45 SCK		5							
PTW1691-2	2.3 Mil White BOPP / CL216 / 1.2 Mil PET		5	5						
PTW2602	2.3 MIL WHT BOPP/640AT/2.45 SCK			10						
PTW7002	2.3 Mil White BOPP / 711VHP / 2.45 SCK		5							
PTW7802	CHILE 2.3 Mil White BOPP / CHILL AT / 2.4 SCK		5							
PTW8891-2	2.3 Mil White BOPP / MP880 / 1.2 Mil PET		5	10						
PTW9002	2.3 Mil White BOPP / 710VHP / 2.45 SCK		5 / 10							10
SCP8891-2	2.2 Mil Clear Squeeze / MP880 / 1.2 Mil PET		5							
SWP8891-2	2.2 Mil WHT Squeeze / MP880 / 1.2 Mil PET		5							
SWP9501	2.2 Mil Wht Squeeze BOPP/ST95/ 2.5 SCK		5							
Prime Paper										
AC2602-P5	Platinum SG / 640AT / 2.5 SCK	SPL 5 / 5	SPL 5 / 5		SD SPL 5 / SD 5					SPL 5 / 5
AC2602-P10	Platinum SG / 640AT / 2.5 SCK	10	SPL 10 / 10		SPL 10 / 10		SD 10			SPL 10 / 10
AC2692	Platinum SG Opaque / 640AT / 2.5 SCK			5						5
AC4502	Platinum SG / 705VHP / 2.5 SCK		5							5
AC7002	60# SEMI GLOSS / 711VHP / 2.5 MIL SCK	5 / 10	5 / 10		5 / 10	5 / 10	5 / 10	5	10	5 / 10
AC7502	Platinum SG / 711 / 2.5 SCK		5							5
AC8402	Platinum SG / 840 / 2.5 SCK		5							
AC8602	Platinum SG / 860 / 2.5 SCK			5	5 / 10					
AC9005-P5	Platinum SG / 710VHP / 2.5 SCK	SD 5 / SD SPL 5	SD 5 / SD SPL 5		SD 5 / SPL 5	SD 5 / SD SPL 5	5	SD 5 / SD SPL 5		SD 5
AC9005-P10	Platinum SG / 710VHP / 2.5 SCK	SD 10 / SD SPL 10	SD 10 / SD SPL 10		SD 10 / SPL 10	SD 10 / SPL 10	SD 10 / SPL 10	SD 10 / SPL 10	10 / SPL 10	SD 10
AC9502	PLATINUM SG / ST95 / 2.5 SCK LF		5			5				
AC9512LF	Platinum SG / ST95 / 3.2 SCK		6" cores	10 / 15						
AI9502	Tag / ST95 / 2.5 SCK						5			
AJC9002	Chartreuse Fluorescent / 710VHP / 2.5 SCK		3							
AJG9002	Green Fluorescent / 710VHP / 2.5 SCK		3 / 5							
AJO9002	Orange Fluorescent / 710VHP / 2.5 SCK		5		3					
AJP9002	Pink Fluorescent / 710VHP / 2.5 SCK		3							
AJR9002	Red Fluorescent / 710VHP / 2.5 SCK		3 / 5							5
AK9006	Bright Silver Lam Foil / 710VHP / 2.5 SCK		5							

Legend: APP- Appleton, WI; COL- Columbus, IN; CA; HER-Herman Engineering in Ontario, CA; KC - Kansas City, MO; LAW-Lawrenceville, GA; LA- Los Angeles, CA; FAL- Fallsington(Philadelphia), PA; SCR - Scranton, PA; VAN - Vancouver, WA



Product	Product Description	APP	COL	HER	KC	LAW	LA	FAL	SCR	VAN
AK9007	Bright Gold Lam Foil / 710VHP / 2.5 SCK							3		
AK9009	Dull Gold Lam Foil / 710VHP / 2.5 SCK							3		
AP9002	Matte Litho / 710VHP / 2.5 SCK			5	SD 5					
CHG2602	Cast High Gloss / 640AT / 2.5 SCK							5		5
CHG7002	Cast High Gloss / 711 / 2.5 SCK		5		5		5			
CHG9002	Cast High Gloss / 710 / 2.5 SCK		5		SD 5		5			
DLA7072	Dairy Label / 711VHP / 2.5 NK	10				10	10		10	10
DLA7102	Dairy Label / 710DL / 2.5 SCK		10		SD10		10	10		
DLA7172	Dairy Label / 710DL / 2.5 NK	10 / SPL 10				10 / SPL 10	5 / 10		10	10
DLA7772	50# DAIRY LABEL/ HCW 710DL / 2.5 MIL NK		10							
DLA7192-0	50# DL/MP710DL/1.0 MIL PET								10	
PLD2602	Platinum Plus / 640AT / 2.5 SCK		SD 10							
PLD7002	Platinum Plus / 711VHP / 2.5 SCK				5	10	5 / 10			
PLD9001	Platinum Plus / 710VHP / 2.5 SCK				5	10	SD SPL 10 / 5			
SGL7002	55# Semi Gloss / 711 / 2.45 MIL CK		5 / 10	5 / 10	10				10	10
SGL7802	CHILE 55# Semi Gloss/ CHILL AT/ 2.45 SCK	10			5 / 10	10	10	10		5 / 10
SGL9512LF	55# SEMI GLOSS/ ST95/3.2 MIL SCK LF		15 5 / 10/ SPL 10/							
SGL9002	55# Semi Gloss / 710VHP / 2.45 SCK	10	SD 10 /	5 / SD 10	5 / 10				10 / SPL 10	10
SGL2602	55# Semi Gloss / 640AT / 2.45 SCK		10/ SPL 10		SD 5 / SD 10		SD 10	10		
SMP7802	CHILE Bright Silver Met Paper/ CHILL AT/ 2.45 SCK	5								
SMP9002	Bright Silver Met Paper / 710VHP / 2.5 SCK	5 / 10		SD5/ 5 / 10						
WVG9002	White Gold / 710VHP / 2.5 SCK							5		
Product	Product Description	APP	COL	HER	KC	LAW	LA	FAL	SCR	VAN
Laser and EDP										
EDP7812	CHILE 50# EDP/ Chill AT / 3.2 SCK		10							
EDP8612	50# EDP / MR860/ 3.2MIL SCK LF		10							
EDP9012	50# EDP / 710VHP / 3.2 SCK				5 / 10 / SPL 10					
EDP9512	50# EDP / ST95 / 3.2 SCK 78"		SD 10 / SPL 10 / 15							SD 10 / SPL 10
JG1802	MACJET GLOSSY INKJET / 910 / 2.45 MIL CK - 6" cores		5							
JM1802	MACJET MATTE INKJET / 910 / 2.5 MIL CK LF - 6" cores		5							
JWP9501	3.5 MIL WH GLOSS PP INKJET/ ST95/2.45 CK		5							
JSG9002-P10	60# SEMI-GLOSS INK JET / MP-710 / 2.5 MIL				10					
LAS1812	50# Premium Laser / 910 / 3.2 SCK-LF - 6"cores	SD 10 / 15	10		10	10	10 / SPL 10		10	
LAS1812RX	50# Premium Laser / 910 / 3.2 SCK-LF - 6"cores					10				
LAS1812-PJR	MACcopy Jr. Std. / MP910 / 3.2 SCK	1.25								
LAS1813	50# Premium Laser / 910 / 3.2 SCK-LF - 3"cores					10				
LAS2612	MACCOPY AT/ 640AT / 3.2 MIL SCK	10					10			
LAS8612	50# Premium Laser / 860 / 3.2 SCK-LF - 6" cores				10					
LAS9512	MAC COPY STANDARD/ ST95 / 3.2 MIL LF				10					
LHG1812-PJR	MACcopy Jr. High Gloss / MP910 / 3.2 SCK	1.25								
LWP1810-PJR	MACcopy Jr. White PET / MP910 / 3.4 C1S	1.25								
NS1812-PJR	MACcopy Jr. Semigloss / MP910 / 3.2 SCK	1.25								
Product	Product Description	APP	COL	HER	KC	LAW	LA	FAL	SCR	VAN
Direct Thermal										
DBH2601	3.0 Mil DT Film / 640AT / 2.5 SCK		5		5 / 10					
DBH9501	3.0 Mil DT Film / ST95 / 2.5 SCK		5			10				
DRX9502	MACscript 2 / ST95 / 2.5 SCK		10		10	10				
DPI2601	3.0 Mil DT Film / 640AT / 2.5 SCK				10					
DPI9501	3.0 Mil DT Film / ST95 / 2.5 SCK					10				
DTJ2602	High Sensitivity DT / 640AT / 2.5 SCK		10							
DTJ9502	High Sensitivity DT / ST-95 / 2.5 SCK		5 / 10							
DTM8602	TC DT / MR860 / 2.5 SCK		5							
DTM9501	TC DT / ST-95 / 2.5 SCK	5 / 10 / SPL 10	5 / 10 / SPL 10		5 / 10 / SPL 10	10	10	10 / SPL 10		
DTM9502PB	TC DT / ST-95 / 2.5 SCK / ST-95 / 2.5 SCK		2.5							
DTM9502TR	TC DT / ST95 / 2.5 SCK TR				10					
DTM9602	TC DT / XT100 / 2.5 SCK		5 / 10							
DTM9902	TC DT / XT99 / 2.5 SCK						10			
DTNN1702	NTC DT / InFusion / 2.5 SCK	10	5 / 10		10	10	SD 10			
DTNN2602	NTC DT / 640AT / 2.5 SCK	10		10 / 15	10 / 15	10				
DTNN7802	CHILE NON-TC DIRECT THERMAL/ CHILL AT/ 2.45SCK		10							10
DTNN9502	NTC DT / ST-95 / 2.5 SCK		10 / SPL 10							10
DTR9551	KL500IR / ST-95 / 2.5 SCK		5 / 10							
DTR9902	KL500IR / XT99 / 2.5 SCK		10							
DTW1702	Weigh Scale DT / InFusion / 2.5 SCK	SD 10							10	
DTW2601	Weigh Scale DT / 640AT / 2.5 SCK				SPL 10/ SD 10 / 10					10 / SPL 10
DTW2602	Weigh Scale DT / 640AT / 2.5 SCK	15						10		
DTW7802	CHILE Weigh Scale DT/ CHILL AT/ 2.45 SCK	10			5 / 10	10	10			10
DTW9502	Weigh Scale DT / ST95 / 2.5 SCK					10/ SPL10				
TCDT1702	TC DT / InFusion / 2.5 SCK		5		SD 10			SD 10 / SPL 10		SD 10 / SPL 10
TCDT2602	TC DT / 640AT / 2.5 SCK		5 / 10 / SPL 10		SD 10		SD 10 / SPL 10	5 / SD 10		
TCDT5102	TC DT / HR-51 / 2.5 SCK	5	5 / 10	5	10					
TCDT7002	TC DIRECT THERMAL/ 711 / 2.45 MIL CK				10			10		10

Legend: APP- Appleton, WI; COL- Columbus, IN; CA; HER-Herman Engineering in Ontario, CA; KC - Kansas City, MO; LAW-Lawrenceville, GA; LA- Los Angeles, CA; FAL- Fallsington(Philadelphia), PA; SCR - Scranton, PA; VAN - Vancouver, WA



Product	Product Description	APP	COL	HER	KC	LAW	LA	FAL	SCR	VAN
Thermal Transfer										
DSS4501	Durascan S TT Film / 705VHP / 2.5 SCK		5							
MT9008	Durascan PCL TT / 710VHP / 2.5 SCK	10	10							
TL1701	Durascan L TT Film / InFusion / 2.5 SCK		5							
TL2601	Durascan L TT Film / 640AT / 2.5 SCK		5				5			
TL7001	Durascan L TT Film / 711VHP / 2.5 SCK		5							
TL9501	Durascan L TT Film / ST95 / 2.5 SCK		10		5					
TTL9302	2C TT / MP930 / 2.5 SCK		10							
TT1702-P5	2C TT / InFusion / 2.5 SCK		SD 5	SD 5	SD 5	SD 5		SD 5		SD 5
TT1702-P10	2C TT / InFusion / 2.5 SCK	SD 10 / SPL 10	SD 10 / SPL 10	SPL 10	SD 10 / SPL 10	SD 10 / SPL 10		SD 10 / SPL 10		SD 10
TT2602	2C TT / 640AT / 2.5 SCK	5	5		SD 10	SD 10	10	5	10	10
TT5102	2C TT / HR-51 / 2.5 SCK		5 / 10							
TT7002	2C TT / 711VHP / 2.5 SCK	10	10	10	10	10		10		10
TT7802	CHILL Optiscan 2C / CHILL AT / 2.4 SCK	10	10							10
TT8602	2C TT / 860 / 2.5 SCK		10							
TT9502-P5	2C TT / ST-95 / 2.5 SCK	5 / SPL 5	5 / SPL 5		5		SD 5		5	
TT9502-P10	2C TT / ST-95 / 2.5 SCK	10 / SPL 10	10 / SPL 10		SD 10 / SD SPL 10	10	SD 10 / SPL 10		10	10
TT9502-P15	2C TT / ST-95 / 2.5 SCK		15		15				15	
TT9502 - P20	2C TT / ST-95 / 2.5 SCK		SPL 20							
TT9592	2C TT Opaque / ST-95 / 2.5 SCK		5			10				
TT9602	2C TT / XT100 / 2.5 SCK		5 / 10							
TTL9302	OPTISCAN L / MP930 / 2.5 SCK		10							

Legend: APP- Appleton, WI; COL- Columbus, IN; CA; HER-Herman Engineering in Ontario, CA; KC - Kansas City, MO; LAW--Lawrenceville, GA; LA- Los Angeles, CA; SCR - Scranton, PA; VAN - Vancouver, WA

Precise Program Guidelines

- 1.25 = 1250'
- 2.5 = 2500'
- 3 = 3000'
- 5 = 5000'
- 10 = 10,000'
- 15 = 15,000'
- SD = Same Day Ship
- SPL = Spliceless

MACTac Precise Policies

- Roll length may vary +/- 10%, exact roll lengths can be purchased at full web.
- Minimum order 1 roll. Minimum width 3".
- MACTac standard 3" cores
- *Vancouver uses a special 3" ID core that is built up to 4.5" OD to prevent core curl for Laser Products. Please call for details.
- Standard packaging, splicing, labeling & pallets will be used.
- Pallets can contain mixed roll widths; all efforts will be taken to limit mixed pallet to one per product ordered.
- All roll lengths 10K & greater will be cradle packaged for handling and shipping safety.
- MACTac designated carriers required, unless ordered FOB MACTac.

MACTac Lead Times

- Same Day Shipping (SD): Orders <20 MMSI received by 10:00 AM ship the same day. 10:00 AM Order cut off is time zone specific to shipping DC location. Applies only to products designated as Same Day.
- Next Day Shipping for all Precise, Spliceless and Standard MRS Products: Orders of 70 MMSI or less received by 4:00 PM ship the next day. Applies to all Distribution Centers. 4:00 PM order cut off times