




2021 | Premium Pressure-Sensitive Products for Offset & Digital Printing



STARLINER



March 2021 | MAC0350 Product Catalog

Product	Pages
Application, Adhesive Guide & Tips	2-3
White Paper (included cut size sheets available in 1,000 sheet cartons)	4-5
Recycled Paper	5
Blockout	6
Fluorescent Paper & Bright Color Paper	7
Laminated Foils	8
Vinyl & Wall Vinyl	8
Teslin®, Polypropylene Film, Polyester & Acetate	9
Indigo Compatible Products	10-11
Production Digital Press Products	12-13
Lighter Weight Products for Laser and Direct Image Presses	13
MAC2DAY <sup>SM</sup> Service Program	14-15
Custom Orders	15
Warranty	16

If your end use is...	We recommend you test...		
<b>PACKAGING</b> <b>Permanent</b> For adhesion to paper, paperboard, corrugated, most fiber drums and plastics. Wide variety of choices depending on the desired aesthetics and end use application. Application temperatures above 35°F (-2°C).  Caution: Never expose laminated foils to moisture, the foil will separate. Many of our Colorcodes match popular Wausau Paper Astrobright color papers - see page 6.	<b>Uncoated/Matte</b> Novelty® Lyric® Blinding White	<b>Gloss</b> Cinema® Matinee®	<b>Special Look</b> Balcony Byzantine Playhouse Theatre Colorcodes Brown Kraft
<b>POINT-OF-PURCHASE (POP), MAGAZINE INSERTS, SIGNAGE</b> <b>Permanent, Removable or Repositionable</b> For adhesion to a variety of surfaces. Adhesive choice dependent on end use application. Repositionable Prestige® in White or Matte Clear are recommended for signage & POP applied to windows and other glass surfaces.	<b>White Paper</b> Cinema Matinee Novelty Lyric Blinding White	<b>Color Paper</b> Colorcodes Fluorescent Brown Kraft	<b>Specialty</b> Debut Prestige Premiere
<b>NAME &amp; CONVENTION BADGE</b> Special Badge adhesive is specifically designed for up to 24 hour use on fabric. Non-staining and removes cleanly. <b>CAUTION:</b> Not recommended for fur, leather and suede, sequins, corduroy or silk. Not recommended for long-term removability applications such as socks and tights bands or size labels.			
<b>SHIPPING/ADDRESS LABELS</b> <b>Permanent</b> For adhesion to paper, paperboard, corrugated, most fiber drums and plastics. Application temperatures above 35°F (-2°C). Uncoated facestocks recommended for common pens and markers for no-smear performance.	<b>White Paper</b> Novelty	<b>Color Paper</b> Colorcodes Brown Kraft	
<b>COVER-UP (BLOCKOUT) LABELS</b> <b>Permanent</b> For adhesion to paper, paperboard, corrugated, most fiber drums and plastics. Exhibits short-term removability on some plastics. Application temperatures above 25°F (-4°C).	<b>Uncoated Paper</b> Novelty Opaque	<b>Gloss Paper</b> Cinema Opaque Matinee Opaque	<b>Color Paper</b> Brown Kraft (97% Opacity)
<b>WARNING, INVENTORY &amp; SAFETY LABELS</b> <b>Permanent</b> For longer term adhesion to corrugated, most fiber drums or plastics, or for application temperature about 35°F (-2°C).	<b>Color Paper</b> Colorcodes Brown Kraft Fluorescents		

Length of Outdoor Exposure*	Up to 6-12 weeks	Up to 6 months	Up to 12 months	Up to 18 months
<b>DRUM LABELS, BUMPER STICKERS and LABELS</b> <b>Outdoor conditions and/or demanding conditions.</b> Removable adhesive for short-term — always test for compatibility. Length of time outdoors may affect removability. Permanent adhesive for longer lasting applications. Repositionable adhesive may be reapplied to another surface up to 6 months.		Prestige Premiere	Debut Teslin	Spotlite II Charade I & II

\* Outdoor durability dependent on a number of variable conditions including climate. Results could vary. Please test.



## Pressure-Sensitive

# ADHESIVE GUIDE

### PERMANENT ACRYLIC (PA)

Good quick stick to most surfaces. UV resistant, non-yellowing. Super clear, good for clear films. Excellent ultimate adhesion to most surfaces. Suggested for most plastics, paperboard and corrugated surfaces.

### SPECIAL REMOVABLE / REPOSITIONABLE (SP REM)

Special Removable / Repositionable applies to wide variety of surfaces such as wood, painted drywall, wall coverings and plastic. Can be cleanly removed and reapplied to many clean surfaces a number of times. Best applied at 45°F (7°C). Maximum service range -65°F (-54°C) to 200°F (82°C) after 24 hour dwell time on substrate before exposure. Always test thoroughly under intended conditions. Intended for up to 6 months. Ambient conditions and integrity of substrate can effect adhesion, repositionability and removability.

### REMOVABLE (REM)

Removable is a UV resistant acrylic emulsion with good adhesion to and clean removal from most common surfaces. Always test thoroughly under intended conditions. Ambient conditions and integrity of substrate can effect adhesion and removability.

Mactac® STARLINER® Adhesive Chart			
Adhesive	Type	Minimum Application Temperature	Service Range
Permanent	Acrylic	35° F (-2°C)	-65°F to 200°F (-54°C to 93°C)
Removable	Acrylic	35° F (-2°C)	-65°F to 180°F (-54°C to 82°C)
Repositionable (SP Rem)	Acrylic	45° F (7°C)	-65°F to 150°F (-54°C to 66°C)
Permanent Opaque	Acrylic	35° F (-2°C)	-65°F to 200°F (-54°C to 93°C)

### Pressure-Sensitive “NO-NO’s”

**NO** Removable adhesive for Convention Badge applications - it could stain

**NO** Applications on waxed surfaces without testing first.

**NO** Outdoor applications for acetate. Sunlight yellows acetate. Use polyester or vinyl instead.

**NO** Rigid paper stocks such as Preview® Tag, Lyric Matte Litho or Cinema® Cast Coated Gloss on small diameter or extremely rough surfaces. Test more conformable products such as Matinee® Semi-Gloss, Polypropylene, Teslin® or Debut® Vinyl. Conformable labels allow more adhesive contact to the substrate.

**NO** Paper stocks for large, removable labels. Test Medley 60# Latex or Prestige repositionable vinyls.

**ALWAY TEST.** Contact your Mactac STARLINER Merchant for samples. If you need the name of a local merchant, call us at 800-321-8834 for the name and number of the STARLINER merchant in your area.



## White Papers

# OFFSET

Cast Coated Gloss - Cinema®					
Basis Wt 60   Brightness 90   Gloss 82   Opacity 90   Nominal 80# 1-1/4" STARLINER Scored Liner					
Description	Stock No.	Sheet Size	Adhesive	Sheets/CTN	Carton Wt
A bright, blue white, cast coated sheet with a rich, lustrous "mirror" finish. Standard offset inks recommended.	SL0042	8 1/2" x 11"	Permanent	2,000	64#
	SL0006	17" x 22"	Permanent	500	64#
	SL0017	26" x 20"	Permanent	500	88#
Toner Fusion Compatible*	SL0016	26" x 20"	Removable	500	88#
Semi-Gloss - Matinee®					
Basis Wt 60   Brightness 90   Gloss 75   Opacity 88   Nominal 80# 1-1/4" STARLINER Scored Liner					
Point-of-purchase, product identification, packaging labels. Easy to print. Standard offset inks recommended.	SL0028	8 1/2" x 11"	Permanent	2,000	64#
	SL0027	8 1/2" x 11"	Removable	2,000	64#
	SL0002	17" x 22"	Permanent	500	64#
	SL0001	17" x 22"	Removable	500	64#
Toner Fusion Compatible*	SL0015	26" x 20"	Permanent	500	88#
	SL0014	26" x 20"	Removable	500	88#
Matte Coated Litho - Lyric®					
Basis Wt 60   Brightness 89   Gloss 8   Opacity 92   Nominal 80# 1-1/4" STARLINER Scored Liner					
Point-of-purchase and carton labels. Excellent smudge resistance. Superior printability. Standard offset inks recommended.	SL0091	8 1/2" x 11"	Permanent	2,000	64#
	SL0090	8 1/2" x 11"	Removable	2,000	64#
	SL0093	17" x 22"	Permanent	500	64#
Toner Fusion Compatible*	SL0095	26" x 20"	Permanent	500	88#
Uncoated Litho - Novelty®					
Basis Wt 60   Brightness 96   Opacity 95   Nominal 80# 1-1/4" STARLINER Scored Liner					
Indoor labels including shipping and carton labels. Readily accepts pen, pencil and marking devices. Standard offset inks recommended.	SL0085N	8 1/2" x 11"	Permanent	2,000	64#
	SL0081N	8 1/2" x 11"	Removable	2,000	64#
	SL0086N	17" x 22"	Permanent	500	64#
	SL0083N	17" x 22"	Removable	500	64#
Toner Fusion Compatible*	SL0087N	26" x 20"	Permanent	500	88#
Uncoated Smooth - Blinding White 2					
Basis Wt 60   Brightness 98   Opacity 94   Nominal 80# 1-1/4" STARLINER Scored Liner					
The bright, white label stock is perfect for distinctive labels. Accepts pen, pencil and other marking devices. Standard offset inks recommended.	SL1385	8 1/2" x 11"	Permanent	2,000	64#
	SL1317	17" x 22"	Permanent	500	64#
	SL1326	26" x 20"	Permanent	500	88#
Toner Fusion & Indigo Compatible*					



## White Papers — CONTINUED

# OFFSET

### 8 pt. (100lb.) White Premium Coated Tag - Preview

Basis Wt 100 | Brightness 91 | Gloss 50 | Opacity 95 | Nominal 80# 1-1/4" Scored Liner

Description	Stock No.	Sheet Size	Adhesive	Sheets/ CTN	Carton Weight
Indoor signage and point-of-purchase displays. Excellent stock where good definition, stiffness or bulk is desired. Standard offset inks recommended.	SL0035N	17" x 22"	Permanent	500	85#

## Recycled Paper

### PCW Brown Kraft

70lb Uncoated | Brightness 92 | Opacity 87 | PCW 30% | Nominal 80# 1-1/4" STARLINER Scored Liner

Brown Kraft from 30% post consumer waste. Standard offset inks recommended.	SL2991	30%	Brown Kraft	8 1/2" x 11	Permanent	2,000	65#
<i>Toner Fusion Compatible*</i>	SL2992	30%	Brown Kraft	17" x 22"	Permanent	500	65#



## Block Out

# OFFSET

100% Opacity			Nominal 80# 1-1/4" Scored Liner   No Back Print			
Description	Stock No.	Face Stock	Sheet Size	Adhesive	Sheets/CTN	Carton Wt
Blockout Opaque. 100% Opacity. Ideal for covering pricing changes, mistakes and copy corrections. Variety of facestocks. Standard offset inks recommended. 12" x 18" sized for Toner Fusion(laser) printers and Direct Image(DI) presses.	SL0018	Cinema Gloss	17" x 22"	Permanent Opaque	500	64#
	SL0019	Cinema Gloss	26" x 20	Permanent Opaque	500	88#
	SL0031	Matinee Semi-Gloss	12" x 18"	Permanent Opaque	200	16#
	SL0029	Matinee Semi-Gloss	17" x 22"	Permanent Opaque	500	64#
	SL0030	Matinee Semi-Gloss	26" x 20	Permanent Opaque	500	88#
	SL0240	Lyric Matte Litho	17" x 22"	Permanent Opaque	500	64#
<i>Larger sized Matinee®, Lyric® and Novelty® are Toner Fusion Compatible.</i>	SL0242	Lyric Matte Litho	26" x 20	Permanent Opaque	500	88#
	SL0082N	Novelty Uncoated	8 1/2" x 11"	Permanent Opaque	2,000	64#
<b>See page 10-12 for more digital products.</b>	SL0088N	Novelty Uncoated	12" x 18"	Permanent Opaque	200	16#
	SL0084N	Novelty Uncoated	17" x 22"	Permanent Opaque	500	64#
97% Opacity - Brown Kraft			Nominal 80# 1-1/4" STARLINER® Scored Liner			
Makes concealing errors on corrugated boxes easy and unobtrusive. A 97% opacity level. Standard offset inks recommended. Face contains 30% PCW.	SL2991	Brown Kraft	8 1/2" x 11"	Permanent	2,000	64#
	SL2992	Brown Kraft	17" x 22"	Permanent	500	64#

*Toner Fusion Compatible.*





## Fluorescent Nominal 80# 1-1/4" Scored Liner

Description	Stock No.	Face Stock	Sheet Size	Adhesive	Sheets/ CTN	Carton Wt
<p>Attention getting labels, packaging, sales promotion materials, displays, caution labels, pricing and warning labels. Indoor applications. Standard offset inks recommended.</p> <p><i>Toner Fusion Compatible.</i></p>	SL2211	Burlesque Red	8 1/2" x 11"	Permanent	2,000	64#
	SL2212	Burlesque Red	17" x 22"	Permanent	500	64#
	SL2238	Limelite Chartreuse	8 1/2" x 11"	Permanent	2,000	64#
	SL2215	Limelite Chartreuse	17" x 22"	Permanent	500	64#
	SL2218	Marquee Green	8 1/2" x 11"	Permanent	2,000	64#
	SL2213	Marquee Green	17" x 22"	Permanent	500	64#
	SL2239	Passion Pink	8 1/2" x 11"	Permanent	2,000	64#
	SL2216	Passion Pink	17" x 22"	Permanent	500	64#
	SL2237	Vaudeville Orange	8 1/2" x 11"	Permanent	2,000	64#
	SL2214	Vaudeville Orange	17" x 22"	Permanent	500	64#

## Bright Colors - Colorcode™ Nominal 80# 1-1/4" Scored Liner

Description	Stock No.	Wausau Paper Astrobright Match	PCW %	Color	Sheet Size	Adhesive	Sheets/ CTN	CTN Wt
<p>Attention getting labels, packaging, sales promotion materials, displays, caution labels, pricing and warning labels. Indoor applications. Standard offset inks recommended.</p> <p><i>Toner Fusion Compatible.</i></p>	SL2230	Re-entry Red	NA	Red	8 1/2" x 11"	Permanent	2,000	64#
	SL2220	Re-entry Red	NA	Red	17" x 22"	Permanent	500	64#
	SL2236	Gamma Green	30%	Green	8 1/2" x 11"	Permanent	2,000	64#
	SL2227	Gamma Green	30%	Green	17" x 22"	Permanent	500	64#
	SL2231	Solar Yellow	NA	Yellow	8 1/2" x 11"	Permanent	2,000	64#
	SL2221	Solar Yellow	NA	Yellow	17" x 22"	Permanent	500	64#
	SL2233	Lunar Blue	30%	Blue	8 1/2" x 11"	Permanent	2,000	64#
	SL2223	Lunar Blue	30%	Blue	17" x 22"	Permanent	500	64#



## Films & Specialty

# OFFSET

Laminated Foils			Nominal 80# 1-1/4" Scored Liner   No Back Print			
Description	Stock No.	Face Stock	Sheet Size	Adhesive	Sheets/CTN	Carton Wt
Deluxe labels for quality products such as cosmetics, food packaging, appliances, sporting goods, greeting cards. Oxidizing offset inks.	SL3126	Balcony Bright Gold	26" x 20"	Permanent	100	25#
	SL3226	Byzantine Dull Gold	26" x 20"	Permanent	100	25#
	SL3626	Playhouse Bright Silver	26" x 20"	Permanent	100	25#
	SL3726	Theatre Dull Silver	26" x 20"	Permanent	100	25#

White Vinyl - Debut			Nominal 80# 1-1/4" Scored Liner			
Description	Stock No.	Face Stock	Sheet Size	Adhesive	Sheets/CTN	Carton Wt
4.0-mil top coated matte white vinyl. For labeling of chemical containers and product identification. Good outdoor durability. Conforms well to irregular surfaces. Oxidizing offset inks recommended.	SL5001	White	18" x 24"	Permanent	500	110#
	SL2002	White	18" x 24"	Removable	100	22#
	GX0010**	White	27" x 20"	Permanent	100	25#

\*\* Nominal 80# liner with no scores or back print

Vinyl with Repositionable Adhesive - Prestige			Nominal 80# Liner   No Scores   No Back Print			
Description	Stock No.	Face Stock	Sheet Size	Adhesive	Sheets/CTN	Carton Wt
4.0-mil top coated matte white and matte clear vinyl. A versatile alternative to static that conforms better to irregular surfaces. Easier to print and handle than static cling. Ideal for P.O.P. and signage. Both indoors and outdoors up to six months. Oxidizing inks recommended. Not recommended as name badge and should not be applied to surfaces coated with wax, oils or other contaminants which may deaden the adhesive.	GX5005	Matte Clear	27" x 20"	Repositionable	500	110#
	GX5006	White	27" x 20"	Repositionable	500	110#



## Films & Specialty

# OFFSET



### Teslin® - 7.0-mil Teslin SP

Nominal 80# Liner | 1-1/4" Scores | No Back Print

Description	Stock No.	Face Stock	Sheet Size	Adhesive	Sheets/CTN	Carton Wt
Synthetic stock with the high quality printability of fine paper and strength of films. Outdoor applications up to one year. Varnish the sheet to prevent discoloration. Ideal for tags, address/shipping labels, menus, maps, manuals, posters, P.O.P's novelties and banners. Standard inks can be used on one and two color jobs. Oxidizing inks are recommended for three or more colors.	SL2321-1	White	8 1/2" x 11"	Permanent	1,000	64#
	SL2322	White	17" x 22"	Permanent	500	64#
	SL2323	White	26" x 20"	Permanent	500	88#

Teslin for Indigo printing is available on page 10.

### Polypropylene - White Synthetic Paper - Premiere

Nominal 80# Liner | 1-1/4" Scores | No Back Print

A 4.0-mil white clay-coated, tear-resistant polypropylene film that looks and prints like fine offset paper. Dries faster than most synthetics. It is 100% waterproof. Semi conformable. Suitable for limited outdoor applications up to six months. Oxidizing offset inks recommended.	SL4018	White	18" x 24"	Permanent	500	64#
---	--------	-------	-----------	-----------	-----	-----

### Polyester - Clear - Charade

Polycoated 90# Liner | No Scores | No Back Print

Optically-clear, top coated, glossy polyester. Window, door labels and emblems. Windshields and display case merchandising. Good outdoor use up to 18 months. Oxidizing offset inks recommended.	GI0159	1.0-mil	27" x 20"	Permanent	100	21#
	GI0259	2.0-mil	27" x 20"	Permanent	100	28#

### Polyester - Silver - Spotlight II

Polycoated 90# Liner | No Scores | No Back Print

Bright silver, top coated polyester. Nameplates, decals, promotional labels. Top coated for ink receptivity. Oxidizing offset inks recommended. May be used outdoors for up to 18 months	EI9508	Bright Silver	27" x 20"	Permanent	100	28#
--	--------	---------------	-----------	-----------	-----	-----

### Acetate - Vignette

Polycoated 90# Liner | No Scores | No Back Print

Glossy clear 2.0-mil Acetate. Popular for wafer seals. Also merchandising, display case promotions, two-way signs, for transparent indoor applications. Oxidizing offset inks recommended. Not intended for outdoor use.	GI0029	Clear	26" x 20"	Permanent	100	21#
--	--------	-------	-----------	-----------	-----	-----



## Indigo Presses

# INDIGO

STARLINER® pressure-sensitive sheet products optimized and certified for HP Indigo sheet-fed presses. Ideal for short runs, personalized and variable information. Perfect for retail signage, P.O.P., announcements, exhibit displays and prime product identification. Most popular products are available in 500 sheet cartons.

Cast Coated Gloss ITC						Brightness 86   Gloss 84   Opacity 90	
Stock No.	GSM	Caliper	Sheet Size	Adhesive	Liner	Sheets/CTN	Carton Weight
SLI7200 ✓	227	8.5	12" x 18"	Permanent	80# STARLINER® Scores	200	15#
SLI7200-13 ✓	227	8.5	13" x 19"	Permanent	80# STARLINER Scores	500	40#
Semi-Gloss ITC						Brightness 84   Gloss 74   Opacity 88	
SLI7210 ✓	224	7.9	12" x 18"	Permanent	80# STARLINER Scores	200	15#
SLI7210-5 ✓	224	7.9	12" x 18"	Permanent	80# STARLINER Scores	500	36#
SLI7210-13 ✓	224	7.9	13" x 19"	Permanent	80# STARLINER Scores	500	40#
Matte Litho ITC						Brightness 84   Opacity 82	
SLI7250 ✓	236	8.8	12" x 18"	Permanent	80# STARLINER Scores	200	15#
SLI7250-5 ✓	236	8.8	12" x 18"	Permanent	80# STARLINER Scores	500	36#
SLI7250-13 ✓	236	8.8	13" x 19"	Permanent	80# STARLINER Scores	500	40#
Smooth Uncoated Multi-Purpose - Blinding White2 Multi						Brightness 98   Opacity 93	
SL1310 ✓✓	231	8.5	12" x 18"	Permanent	80# STARLINER Scores	200	15#
SL1310-5 ✓✓	231	8.5	12" x 18"	Permanent	80# STARLINER Scores	500	36#
SL1310-13 ✓✓	231	8.5	13" x 19"	Permanent	80# STARLINER Scores	500	40#
SL1310-00 ✓✓	231	8.5	12" x 18"	Permanent	80# OSOP	200	15#
Certified for both Indigo and NexPress printing							
8pt Coated Tag - Preview ITC						Brightness 87   Opacity 78   Opacity 95	
SLI7300 ✓	334	13.3	12" x 18"	Permanent	80# STARLINER Scores	100	19#
SLI7300-00 ✓	334	13.3	12" x 18"	Permanent	80# OSOP	100	19#
SLI7300-13 ✓	334	13.3	13" x 19"	Permanent	80# STARLINER Scores	400	24#
Teslin® 7.0-mil SP							
SL2324 ✓	225	12.5	12" x 18"	Permanent	80# STARLINER Scores	500	40#

✓ Tested and certified for Kodak NexPress by Rochester Institute of Technology's (RIT) Printing Applications Laboratory  
 ✓ Tested and certified for HP5000/5500 and HP7000/7500 Rochester Institute of Technology's (RIT) Printing Applications Laboratory  
 GSM = Grams/Meter Square

## Indigo Presses — CONTINUED

# INDIGO



### 3.4-mil White Vinyl ITC - Debut White ITC

Stock No.	GSM	Caliper	Sheet Size	Adhesive	Liner	Sheets/ CTN	Carton Weight
INV8000 ✓	267	8.8	12" x 18"	Permanent	80# Scores OP	100	8#

### 3.4-mil White Vinyl ITC - Prestige White ITC

INV8200 ✓	267	8.8	12" x 18"	Ultra Removable	80# Scores OP	100	8#
-----------	-----	-----	-----------	-----------------	---------------	-----	----

### 3.4-mil Matte Clear Vinyl ITC Prestige Clear ITC

INV9200 ✓	245	8.5	12" x 18"	Ultra Removable	80# OSOP	100	8#
-----------	-----	-----	-----------	-----------------	----------	-----	----

✓ Tested and certified for HP5000/5500 and HP7000/7500 Rochester Institute of Technology's (RIT) Printing Applications Laboratory  
GSM = Grams/Meter Square



## Digital Presses Including Blinding White2

# TONER FUSION

Popular face stocks optimized for toner fusion digital presses. Can be pre-printed with offset inks compatible with toner fusion printing. These products perform on today's dry toner digital presses such as Xerox iGen series, Kodak NexPress series and Canon imagePress VP as well as other high speed production sized digital printers. Always test. Follow the digital manufacturer's guidelines for printing pressure-sensitive stock. Digital is ideal for short runs and variable information. Perfect for retail signage, POP, announcements, exhibit displays and prime and variable labels. Paper products can also be used on many direct image (DI) presses.

Cast Coated Gloss Digital					Brightness 86   Gloss 90   Opacity 84   OPQ Opacity 99.5		
Stock No.	GSM	Caliper	Sheet Size	Adhesive	Liner	Sheets/CTN	Carton Weight
SL0042	230	8.8	8 1/2" x 11"	Permanent	80# STARLINER® Scores	2,000	64#
SL0012 ✓	230	8.8	12" x 18"	Permanent	80# STARLINER Scores	200	16#
SL0012-5 ✓	230	8.8	12" x 18"	Permanent	80# STARLINER Scores	500	36#
SL0012-13 ✓	230	8.8	13" x 19"	Permanent	80# STARLINER Scores	500	40#
Semi-Gloss Digital					Brightness 90   Gloss 75   Opacity 88   OPQ Opacity 99.5		
SL0028	230	8.8	8 1/2" x 11"	Permanent	80# STARLINER Scores	2,000	64#
SL0027	230	8.8	8 1/2" x 11"	Removable	80# STARLINER Scores	2,000	64#
SL0026 ✓	230	8.8	12" x 18"	Permanent	80# STARLINER Scores	200	16#
SL0026-5 ✓	230	8.8	12" x 18"	Permanent	80# STARLINER Scores	500	36#
SL0031 ✓	230	8.0	12" x 18"	Permanent Opaque	80# Scores OP	200	16#
Matte Litho Digital					Brightness 89   Opacity 89   OPQ Opacity 99.5		
SL0091	230	8.8	8 1/2" x 11"	Permanent	80# STARLINER Scores	2,000	64#
SL0090	230	8.8	8 1/2" x 11"	Removable	80# STARLINER Scores	2,000	64#
SL0096 ✓	230	8.8	12" x 18"	Permanent	80# STARLINER Scores	200	16#
SL0096-5 ✓	230	8.8	12" x 18"	Permanent	80# STARLINER Scores	500	36#
SL0096-13 ✓	230	8.8	13" x 19"	Permanent	80# STARLINER Scores	500	40#

✓ Tested and certified for Kodak NexPress by Rochester Institute of Technology's (RIT) Printing Applications Laboratory

GSM = Grams/Meter Square

## Digital Presses — CONTINUED

# TONER FUSION



### Uncoated Litho Digital | Novelty® Digital Brightness 96 | Opacity 95 | OPQ Opacity 99.5

Stock No.	GSM	Caliper	Sheet Size	Adhesive	Liner	Sheets/ CTN	Carton Weight
SL0085N	230	9.5	8 1/2" x 11"	Permanent	80# STARLINER® Scores	2,000	64#
SL0085N-1	230	9.5	8 1/2" x 11"	Permanent	80# STARLINER Scores	1,000	31#
SL0081N	230	9.5	8 1/2" x 11"	Removable	80# STARLINER Scores	2,000	64#
SL1085N ✓	230	9.5	12" x 18"	Permanent	80# STARLINER Scores	200	16#
SL1085N-5 ✓	230	9.5	12" x 18"	Permanent	80# STARLINER Scores	500	36#
SL0088N ✓	230	9.5	12" x 18"	Permanent Opaque	80# Scores OP	200	16#

### Uncoated Smooth Multi | Blinding White2 Multi Brightness 98 | Opacity 93

SL1310 ✓✓	231	8.5	12" x 18"	Permanent	80# STARLINER Scores	200	15#
SL1310-5 ✓✓	231	8.5	12" x 18"	Permanent	80# STARLINER Scores	500	36#
SL1310-13 ✓✓	231	8.5	13" x 19"	Permanent	80# STARLINER Scores	500	40#

*Certified for both Indigo and NexPress printing*

### 3.4 mil White Vinyl TF | Debut White TF

TFW1012 ✓	267	8.8	12" x 18"	Permanent	80# Scores OP	100	8#
-----------	-----	-----	-----------	-----------	---------------	-----	----

### 3.4 mil White Vinyl TF | Prestige White TF

TFW2012 ✓	267	8.8	12" x 18"	Ultra Removable	80# Scores OP	100	8#
-----------	-----	-----	-----------	-----------------	---------------	-----	----

### 3.4 mil Matte Clear Vinyl TF | Prestige Clear TF

TFC2012 ✓	245	8.5	12" x 18"	Ultra Removable	80# OSOP	100	8#
-----------	-----	-----	-----------	-----------------	----------	-----	----

✓ Tested and certified for Kodak NexPress by Rochester Institute of Technology's (RIT) Printing Applications Laboratory

✓ Tested and certified for HP5000/5500 and HP7000/7500 Rochester Institute of Technology's (RIT) Printing Applications Laboratory

GSM = Grams/Meter Square



## MAC2DAY - Custom Sheet Sizes in as little as 2 days

# MAC2DAY



MAC2DAY™ is the quick and efficient way to get skid packed pressure-sensitive sheets shipped to your printer in as little as 2 business days. Your printer saves the time and expense of opening and disposing of multiple cartons. And MAC2DAY is the first program to offer custom sized sheets specifically for toner fusion and Indigo presses.

- Most Popular Paper Faces including High-Gloss, Semi-Gloss, Matte Litho, Uncoated Litho and 8pt. Coated Tag
- Permanent and Removable Adhesives
- Nominal 80# Liner - Scored and Unscored Available
- Virtually any size sheet you need.
- Skid packed on standard sized skids.
- Sheets for commercial offset and for Indigo and production digital Presses.
- Ships from our Columbus, IN facility in as little as 2 business days.
- 1.5-30 MMSI ship in 2 business days, larger quantities may take additional time.

### IMPORTANT MAC2DAY™ Order Guidelines

<b>Order Cut Off Time</b>	Please fax or email your orders to <a href="mailto:CustomerService@Mactac.com">Customer Service at 888-321-8834 / DistributorOrders@Mactac.com</a> by 4:00pm Eastern Time for qualified orders to ship in 2 business days.
<b>Order Size</b>	Orders from 1.5 to 30 MMSI on standard skids sized orders on standard skids in 2 business days. Larger quantities or special skid sizes may take additional time. Please contact our inside sales team for more information.
<b>Sheet Sizes</b>	Available in virtually any sheet size needed. Width minimum is 16" and maximum is 52". Sheet length minimum is 18" and maximum is 40". Cut size 8-1/2" x 11" are also available.
<b>Calculating MMSI</b>	<p>MMSI per sheet is <math>((W" \times L") \times .000001)</math></p> <p>Total MMSI is MMSI of single sheet multiplied by total number of sheets</p> <p>example: 17" x 24" 3 mmsi = 7,350 sheets      30 mmsi = 73,500 sheets</p> <p>example: 26" x 34" 3 mmsi = 3,400 sheets      30 mmsi = 34,000 sheets</p>

### Custom Constructions

Besides the readily available products offered in our **MAC2DAY** program, we can also manufacture **custom constructions** of pressure-sensitive sheets to meet your specific needs. We can offer custom face stocks, adhesives and even custom scores on liners as well as custom back printing. Contact us at 866-622-8223 to discuss your specific applications.

**Quantities:** Over/Under Shipments Custom orders using standard stock materials will be considered complete if the quantity is +/- 10% of quantity ordered. Custom orders requiring special purchase material will be considered complete if the quantity shipped is +/- 20% quantity ordered.

**Minimum Order Size:** Dependent on specific product construction.

**Sheet Tolerances:** Contact Mactac Inside Sales at 866-622-8223 for guidelines.

**Custom Scores:** A minimum distances of 1-1/4" between scores is required. Allow for a moderate plus or minus tolerance from edge of sheet to first score + 1/32" score tolerance.

**Guarantee:** All products are 100% guaranteed for quality workmanship and materials. All products are sold with the understanding that the user will pre-test to determine printability and suitability for intended end use

**Call Mactac® Inside Sales 866-622-8223 for more information.**





## MAC2DAY - Custom Sheet Sizes in as little as 2 days

MAC2DAY

### OFFSET

Part #	Facestock	Adhesive	Liner Scores
<b>HM100022</b>	60# High-Gloss	Permanent	✓
<b>HM100123</b>	60# High-Gloss	Permanent	
<b>HMR1000</b>	60# High-Gloss	Removable	✓
<b>HMR1001</b>	60# High-Gloss	Removable	
<b>HM1002</b>	60# Semi-Gloss	Permanent	✓
<b>HM1003</b>	60# Semi-Gloss	Permanent	
<b>HMR1002</b>	60# Semi-Gloss	Removable	✓
<b>HMR1003</b>	60# Semi-Gloss	Removable	
<b>HM1009</b>	60# Matte	Permanent	✓
<b>HM1010</b>	60# Matte	Permanent	
<b>HMR1009</b>	60# Matte	Removable	✓
<b>HMR1010</b>	60# Matte	Removable	
<b>HM1004N</b>	60# Uncoated Offset	Permanent	✓
<b>HM1005N</b>	60# Uncoated Offset	Permanent	
<b>HMR1004N</b>	60# Uncoated Offset	Removable	✓
<b>HMR1005N</b>	60# Uncoated Offset	Removable	
<b>HM1006N</b>	8 pt. (100#) Coated Tag	Permanent	
<b>HF2013N</b>	8pt. (100#) Coated Tag	Permanent	✓
<b>HA4505</b>	60# High-Gloss Blockout	Permanent	✓
<b>HA4506</b>	60# High-Gloss Blockout	Permanent	
<b>HB2011</b>	60# Semi-Gloss Blockout	Permanent	✓
<b>HC2510</b>	60# Matte Blockout	Permanent	✓
<b>HD1020</b>	60# Uncoated Offset Blockout	Permanent	✓
<b>HJ2014</b>	Red Fluorescent	Permanent	✓
<b>HJ2025</b>	Green Fluorescent	Permanent	✓
<b>HJ2031</b>	Orange Fluorescent	Permanent	✓
<b>HJ2037</b>	Chartreuse Fluorescent	Permanent	✓
<b>HJ2040</b>	Pink Fluorescent	Permanent	✓

### Indigo

Part #	Facestock	Adhesive	Liner Scores
<b>HMI1000</b>	60# High-Gloss	Permanent	✓
<b>HMI1001</b>	60# High-Gloss	Permanent	
<b>HMI1002</b>	60# Semi-Gloss	Permanent	✓
<b>HMI1003</b>	60# Semi-Gloss	Permanent	
<b>HMI1009</b>	60# Matte	Permanent	✓
<b>HMI1010</b>	60# Matte	Permanent	
<b>HMI1004</b>	60# Uncoated Offset	Permanent	✓
<b>HMI1005</b>	60# Uncoated Offset	Permanent	
<b>HMI1006D</b>	8pt. (100#) Tag	Permanent	

### Toner Fusion

Part #	Facestock	Adhesive	Liner Scores
<b>HMD1000</b>	60# High-Gloss	Permanent	✓
<b>HMD1001</b>	60# High-Gloss	Permanent	
<b>HMD1002</b>	60# Semi-Gloss	Permanent	✓
<b>HMD1003</b>	60# Semi-Gloss	Permanent	
<b>HMD1009</b>	60# Matte	Permanent	✓
<b>HMD1010</b>	60# Matte	Permanent	
<b>HMD1004</b>	60# Uncoated Offset	Permanent	✓
<b>HMD1005</b>	60# Uncoated Offset	Permanent	
<b>HJ2014</b>	Red Fluorescent	Permanent	✓
<b>HJ2025</b>	Green Fluorescent	Permanent	✓
<b>HJ2031</b>	Orange Fluorescent	Permanent	✓
<b>HJ2037</b>	Chartreuse Fluorescent	Permanent	✓
<b>HJ2040</b>	Pink Fluorescent	Permanent	✓

Min. Quantity = 1.5 million square inches Max. Quantity = 30 million square inches



## WARRANTY

Mactac products are warranted to be free of defects in material and workmanship for a period of (24) twenty-four months from the date of delivery to the Purchaser. THE FOREGOING WARRANTY IS MADE SOLELY TO THE FIRST PURCHASER FROM Mactac (the "Purchaser"). AND IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED BY LAW OR OTHERWISE.

It is expressly agreed and understood that the liability or obligation of Mactac to Purchaser under the foregoing warranty or otherwise shall be limited to, at the option of Mactac, the replacement of, or the issuance of a credit in the amount of the replacement value of, any products which, in its opinion, is proved to be defective in material or workmanship at the date the products are delivered. Furthermore, in order for Purchaser to be eligible to receive such replacement or credit, Purchaser must notify Mactac of the alleged defective product immediately after such defect is discovered or ought to have been discovered, and Purchaser must return the defective products to Mactac within thirty (30) days after the request by Mactac for their return for inspection.

THE WARRANTY PROVIDED HEREIN DOES NOT COVER ANY ECONOMIC LOSS SUSTAINED BY PURCHASER IF NOT ACCOMPANIED BY DAMAGE TO PROPERTY OR PERSONAL INJURY OR ANY INCONVENIENCE, TRANSPORTATION DAMAGE, MISUSE, ABUSE, ACCIDENT OR SIMILAR INCIDENT.

THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OR MERCHANTABILITY, FITNESS OR OTHERWISE, WHICH EXTEND BEYOND THE FACE HEREOF.

As stated above, the liability of Mactac for defective products shall not exceed the replacement value of the products.

