Graphic Products

Catalog











Windows, Walls, Floors and More!



Windows	
B• Free® M•Dot® Window Windowview® Simply Sustainable® - Non PVC Glass Décor Glass Etch Cast Film	3 4 5 6 6
Walls	
REBEL® Rebel RB500H & RB500CT Rebel RB500 Series Rebel RB400 & RB200 Series	7 7 8
OODLES™ Wallnoodle® Roodle® Permanoodle™	9 9 9
Roughrap® Printvinyl™ Gray & Printvinyl Printvinyl Scored & Roodle Scored Gruv™	9 10 11 11
Floors	
Streetrap®	12
Digital Cast Films for Vehicles	
Gruv [™] 7 Coming Soon! Gruv [™] Slideable	13 13
Overlaminates	
Promogard® Rayzor™ Colorgard® LUV Colorgard Floor Dry Erase SAG Anti-Graffiti	14 15 15 16 16
Color Cast Films	
6600 Opaque Carbon Fiber Wrap 6800 Electric 6700 Gemstones 6500 Metallic	17 17 18 18 18

Marking Films	
Macmark® 3300PRO Application Tapes Paint Mask	19 20 20
Mounting Films	
Permahold® GS Tapes	21 22
Miscellaneous	
Application Tools Open Image Warranty SM	23 24

b•free®

High-Performance Frosted, Dusted & Clear – Dry Installation

Even easier to apply. Designed for indoor/outdoor window graphics and light boxes. Offered in a 3.1 translucent matte dusted, matte frosted and clear gloss. The microstructured adhesive allows for the increased speed of dry application on windows with no air bubbles or wrinkling, and provides an exceptionally smooth surface for printing.







Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
JJ5796MBFv2	3.1 Matte Frosted	Repositionable	90# LFP	54" x 75'	24	5-7
JX5796MBFv2	(3.1 mil Matte Frosted	Permanent	90# LFF	54" x 150'	47	5-7 years
JJ5798MBFv2	(3.1) Matte Dusted	Repositionable	00#150	54"x 75'	24	5.7
JX5798MBFv2	Matte Dusted	Permanent	90# LFP	54" x 150'	47	5-7 years
JJ5799MBFv2	3.1 Gloss Clear	Repositionable	00#150	54"x 75'	24	5.7
JX5999MBFv2	mil	Permanent	90# LFP	54" x 150'	47	5-7 years

m•dot®

Easy Install							
	term ind	onable adhesive requires no t door advertising and promotic ily.			silbw	windows	signage
MD199W54L150	4.0		Dot Patterned	00#150	54" x 150'	46	
MD199W60L150	mil	Gloss Clear PVC	Removable	90# LFP	60" x 150'	57	year
MD228W54L150	4.0	M. I. M. I. DVC	Dot Patterned	00#150	54" x 150'	46	
MD228W60L150	mil	Matte White PVC	Removable	90# LFP	60" x 150'	57	year

LFP - Layflat polycoated

windowview[®]

Windowview[®]

Mactac has your windows covered with options from frosted, clear, opaque, and translucent. Dry and Wet apply installation options. Choose which window film is the best for your next application.





Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
WV528PW60L150	3.2 Matte White Translucent	Permanent	72# LFP	60"x150'	47	5 years
WV399PW54L150	3.2 Gloss Clear Permanent	Permanent	90# LFP	54"x150'	47	3 years
WV129PW54L150	6.0 Gloss White Opaque	Permanent	90# LFP	54"x150'	47	1 year
WV129PW60L150				60"x150'	47	
WV599RW54L150	Gloss Clear Removable	Removable	90# LFP	54"x150'	47	5 years
WV399RW54L150	3.5 Easy Gloss Clear	Removable	90# Air-egress	54"x150'	47	3 years
WV596PW60L150	3.2 Easy Etch Matte Frosted	Permanent	90# Air-egress	60"x150'	47	5 years

LFP - Layflat polycoated

[^] Limited availability, discontinued items



Simply Sustainable® - designed for window or glass surfaces but are versatile for other applications as well.

Opaque Friendly Print

Designed for medium-term advertising on glass surfaces and can be used as a barrier film.









Suitable for: \cup	/ inkjet	printing
----------------------	----------	----------

Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
SS129W54L150	2.3 Gloss White Polypropylene	Permanent	50# G	54" x 150'	46	3 years

Crystal Cling

Offering excellent clarity for see-through window graphics.

Suitable for: UV inkjet, latex and UV screen printing.









SS299W54L150



Crystal Cling Gloss Clear Polyester Removable 3.0 mil PET

54" x 150'

46



Magic Cling

Designed to adhere to any smooth glass surfaces such as display cases or beverage coolers as well as other smooth plastic and metal surfaces.









Suitable for: UV inkjet, latex, offset UV and UV screen printing.

SS29W54L150	Magic Cling Clear Gloss Clear Polypropylene	Low Tack Remov- able	90# LFP	54" x 150'	46	2 years
SS99W54L150	2.0 Magic Cling White Gloss White Polypropylene	Low Tack Remov- able	90# LFP	54" x 150'	46	2 years

LFP - Layflat polycoated

G - Bleached GLASSINE

PET - Polyester

Windows

macmark[®]

Glass Décor

The new Glass Décor CV3500 series is translucent vinyl films with Frosted and Dusted finishes for decorating glass windows, mirrors, or doors with an etched, frosted, or sandblasted look. The film is a translucent matte 3.2-mil vinyl with a repositionable permanent adhesive and excellent wet-out characteristics. A 90# white kraft liner offers great stability.







CV359801	Frosted 48" x 150'	CV359802	Dusted 48" x 150'	
CY359801	Frosted 60" x 150'	CY359802	Dusted 60" x 150'	

Glass Etch Film - Cast

Window film for graphic accents; privacy and allows natural light. Ideal for Offices, architectural, and signage







Stoc	k

MR37287W48L150	Glass Etch 48" x 150'
MR37287W60L150	Glass Etch 60" x 150'

rebel®

High Tack RB500H & Cold Temp RB500CT - Vinyl media for hard to stick to surfaces

Extreme bond for ultimate adhesion. Available in high-tack or cold-temp clear gloss and matte white. The best high-tack adhesion for general-purpose graphic applications. Stocked with 90# Layflat liners.

ATTE GLOSS

Suitable for: Solvent, eco-solvent, and latex printing, UV and solvent screen printing, thermal transfer printing, UV offset, and UV flexographic printing.

MATTE GLOSS opa

Overlaminate with: Rayzor™, Colorgard® LUV

	,	, 00.0.9a.a. 20.					
Product Code		Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
RB599HW54L150	4.0 mil	Gloss Clear	High-tack	90# LFP	54" x 150'	46	5 years
RB528HW54L75					54" x 75'	26	
RB528HW54L150	4.0 mil	Matte White	High-tack	90# LFP	54" x 150'	46	5 years
RB528HW60L150					60" x 150'	52	
RB528CTW54L150	3.2 mil	Matta Mista	Cold-Temp	00#150	54" x 150'	46	5 years
RB528CTW60L150	mil	Matte White	High-tack	90# LFP	60" x 150'	52	years
RB599CTW54L150	3.0 mil	Class High Class	Cold-Temp	00#150	54" x 150'	46	5 years
RB599CTW60L150	mil	Clear High Gloss	High-tack	90# LFP	60" x 150'	52	years

rebel®

RB500 Polymeric Vinyl Media

High performance opaque white gloss and matte face films deliver better than 99% opacity with a high performance clear adhesive for a wider range of graphic applications. 90# Layflat liner delivers the best lay flat and heat dispersion in the industry.







 $\textbf{Suitable for:} \ \, \textbf{Solvent, eco-solvent \& latex printing, UV \& solvent screen printing, thermal transfer printing, UV offset and UV flexographic printing.}$



Overlaminate with: Rayzor™, Colorgard® LUV

Overlaininate with: Nayzor, Colorgard Lov							
RB528PW54L150	4.0	Matte White		00#15D	54" x 150'	46	5
RB528PW60L150	mil	Matte White Permanent	90# LFP	60" x 150'	52	years	
RB528RW54L150	4.0	N 4 - + + - \ \ \ / - + -	Dana avalala	90# LFP	54" x 150'	46	5
RB528RW60L150	mil	Matte White	Removable	90# LFF	60" x 150'	52	years
RB529RW60L150	4.0 mil	Gloss White	Removable	90# LFP	60" x 150'	52	5 years
RB599RW54L150	4.0 mil	Gloss Clear	Removable	90# LFP	54" x 150'	46	5 years

Custom Sizes Available Upon Request

rebel®

RB400 Series INTERMEDIATE Vinyl Media

Intermediate matte and gloss multi-print face stocks with good opacity and a clear high performance adhesive for a wide range of graphic applications. Up to 4 years outdoor durability and a premium 90# Layflat liner.

Suitable for: Solvent, eco-solvent & latex printing, UV & solvent screen printing, thermal transfer printing, UV offset and UV flexographic printing.

Overlaminate with: Colorgard® LUV or Promogard®



Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
RB428PW54L150	4.0 Matta White		00#15D	54" x 150'	46	4
RB428PW60L150	Matte White	Permanent	90# LFP	60" x 150'	52	years
RB429PW60L150	4.0 Gloss White		00#15D	60" x 150'	52	4
RB429PW54L150	Gloss White	Permanent 	90# LFP	54" x 150'	46	years

rebel®

RB200 Series PROMOTIONAL Vinyl Media

Economical gloss and matte face stocks with high quality clear removable adhesive for a wide range of graphic applications with 90# layflat liner. Up to 2 years outdoor durability.

Suitable for: Solvent, eco-solvent & latex printing, UV & solvent screen printing, thermal transfer printing, UV offset and UV flexographic printing.

Overlaminate with: Promogard











RB228RW54L150



Matte White

Removable

90# I FP

54" x 150'

45



Custom Sizes Available Upon Request

LFP - Layflat polycoated

wallnoodle roodle permanoodle

OODLES® Vinyl Media

This family of 6.0 mil matte white media is designed for wall posters, murals, point of purchase and much more. Featuring an ultra-removable adhesive on Wallnoodle®, a robust removable on Roodle® and an aggressive permanent adhesive on Permanoodle™. Ask us about sheeting and longer rolls.







This family meets ANSI Class A, NFPA Class A and 1CB Class 1 for flame spread and smoke density, tested under ASTM E-84 as well as latest compliance requirements with UL 10b and 10c certification.

Suitable for: Solvent, Eco-solvent, Latex, UV inkjet, UV offset and UV screen printing.

Product Code		Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
<u>WN628W54</u>	6.0	Wallnoodle	Ultra-Removable,	90# LFP	54" x 100'	45	Indoor
<u>WN628W60</u>	mil	vvaiinoodie	Ultra-Removable, Repositionable	90# LFP	60" x 100'	49	Only
RO628W54L100	6.0	D II -	D	00#150	54" x 100'	45	4
RO628W60L100	mil	Roodle	Removable	90# LFP	60" x 100'	49	years
PN628W54L100	6.0 mil	Permanoodle	Permanent	90# LFP	54" x 100'	44	4 years

Check out our new Roodle Scored print media on page 11.

roughrap[®]

Print Media for Textured Surfaces

A wall wrapping media for application on indoor/outdoor brick or block surfaces. Its excellent conformability and bond gives a paint-like appearance.





GLOSS Ginish



RR100W54L75



Overlaminate with: Rayzor™ G, Matte or Gloss.

Suitable for: Solvent, Eco-solvent, Latex and UV inkjet.

Gloss White Cast

Permanent

90# LFP

54" x 75' 20 54" x 150' 40



LFP - Layflat polycoated

RR100W54L150

printvinyl®

Clear Adhesive Series Vinyl Media

Print Vinyl media is designed for short term indoor and outdoor applications on flat and slightly curved surfaces, including signage and POP for up to 4 years.

Suitable for: Solvent, eco-solvent, latex, UV inkjet, and UV screen printing.

Overlaminate with: Promogard



Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
PV328PW54L150	3.2 Matta White		70 11 6614	54" x 150'	46	3
PV328PW60L150	Matte White	Permanent	78# CCK	60" x 150'	52	years
PV328RW54L150	3.2 Matte White	D	70# CCV	54" x 150'	46	3
PV328RW60L150	Matte White	Removable	78# CCK	60" x 150'	52	years
PV329PW54L150	3.2 Gloss White	D	70# CCV	54" x 150'	46	3
PV329PW60L150	3.2 Gloss White	Permanent	78# CCK	60" x 150'	52	years
PV529RW54L150	3.2 Gloss White	Removable	90# LFP	54" x 150'	46	5 years

printvinyl[®]gray

Gray Adhesive Vinyl Media

Print Vinyl Opaque media is designed for short term indoor and outdoor applications on flat and slightly curved surfaces, including signage and POP for three to five years.

Suitable for: Solvent, eco-solvent, latex, UV inkjet, and UV screen printing.

Overlaminate with: Promogard







Overlammate with.	finish finish						
PVG328PW54L150	3.2 mil	Matte White	Gray Permanent	78# CCK	54" x 150'	46	3 years
PVG329PW54L150	3.2	Cl M/I:	Gray Permanent	78# CCK	54" x 150'	46	3
PVG329RW54L150	mil	Gloss White	Gray Removable	78# CCK	54" x 150'	46	3 years
PVG528PW54L150	3.5 mil	Matte White	Gray Permanent	90# LFP	54" x 150'	46	5 years
PVG529PW54L150	3.5 mil	Gloss White	Gray Permanent	90# LFP	54" x 150'	46	5 years
PVG528HTW54L150	3.2 mil	Matte White	Gray High Tack	90# LFP	54"x150'	47	4 years

LFP - Layflat polycoated

CCK- Clay coated kraft

printvinyl®scored roodle®scored

Scored Liner Vinyl Media

The scored product line is an excellent option for creating decals, product stickers, and packaging labels because the scored liner is easy for all to remove.

Suitable for: Solvent, UV, and latex inkjet printers and can be used in applications for walls, signage, and promotional images.







Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
PVS528URW54L150	32		78# CCK Scored	54" x 150'	46	5 years
PVS528URW60L150	(3.2 mil Matte White Vinyl			60" x 150'	52	
PVS528PW54L150	32	Permanent	78# CCK Scored	54" x 150'	46	5
PVS528PW60L150	(3.2 mil Matte White Vinyl			60" x 150'	52	years
ROS528W54L150	3.2 Matte White Vinyl	Aggressive Removable	78# CCK Scored	54" x 150"	68	4 years



Air-Egress Vinyl Media

Air-egress media for short and medium term indoor and outdoor signage on flat and simply curved surfaces.

Suitable for: Latex, UV-cured, Solvent and Eco-solvent inkjet printers









					air egress	finish	finish
GV428PW54L150	3.2 Matte Whi	te Opaque G	Gray Permanent	90# Air-egress	54" x 150'	40	4 years
GV429PW54L150	3.2 Gloss Whit	te Opaque G	Gray Permanent	90# Air-egress	54" x 150'	40	4 years
GV429RW54L150	3.2 Gloss Whit	te Opaque G	iray Removable	90# Air-egress	54" x 150'	40	4 years
GV528PW54L150	3.0 Matta Whi	to Opagua C	ray Parmanant	00# Air agrass	54" x 150'	40	<u>(5)</u>
GV528PW60L150	3.0 Matte Whi	te Opaque Gi	Gray Permanent	90# Air-egress	60" x 150'	45	5 years
GV529PW54L150	30 Class W/bit	0	` D	00# 4:	54" x 150'	40	C 5
GV529PW60L150	3.0 Gloss Whit	te Opaque Gi	Gray Permanent	90# Air-egress	60" x 150'	45	5 years
GV529RW54L150	3.0 Gloss Whit	te Opaque G	Gray Removable	90# Air-egress	54" x 150'	40	5 years

CCK- Clay coated kraft

streetrap

"TWO-STEP" Outdoor Sidewalk Graphics Vinyl Media

Digital print media designed for the production of outdoor sidewalk and parking lot 'floor' graphics. The aggressive, specially engineered adhesive, bonds well to rough concrete and asphalt surfaces.



Suitable for: Solvent, eco-solvent, latex and UV-cured inkjet inks and UV or solvent screen inks

Overlaminate with: PF6654W54L150 for outdoor floor graphics. See page 21 for all slip resistant textured overlaminate films.

Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
STR328L100	4.0 Matte White Opaque	Aggressive Permanent Opaque	90# LFP	54" x 100'	40	Up to 1 year

LFP - Layflat polycoated

printvinyl®gray Check out PVG528HT on page 10 for indoor floors and carpet applications.

Digital Cast Films for Vehicles



Cast Vinyl Media - GV729

Designed for partial wraps, flat and simple curves and long term signage, GV729 combines excellent performance and economics.

Overlaminate with: Rayzor G, Gloss or Matte cast.

Suitable for: Solvent, Eco-solvent, Latex, UV inkjet and UV screen printing.









Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
<u>GV729RW54L150</u>	2.0 Gloss White	C D	00# 4:	54" x 150'	40	\overline{C}
GV729RW60L150	Gloss White	Gray Removable	90# Air-egress	60" x 150'	45	years
GV729PW54L150	20 Cl WI:		00# A:	54" x 150'	40	7
GV729PW60L150	2.0 Gloss White	Gray Permanent	90# Air-egress	60" x 150'	45	years





Cast Vinyl Media - GV1029S

The new Gruv Slideable promises faster, easier graphic installation on vehicles, buses, fleets, and more. It is created with highly engineered repositionable adhesive and microchannel technology.

Overlaminate with: Rayzor, Gloss or Matte cast.

Suitable for: Solvent, Eco-solvent, Latex, UV inkjet and UV screen printing.







air egress	GLOSS	rivets	CURVED
all egiess	Timish	IIVCG	sui lace

'	, ,	1 9	aı	r egress	III CC	Juliacc
Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Durability
GV1029SW54L150	2.0 Gloss White	Gray	 Micro Channel	54" x 150'	40	10
GV1029W60L150	Gloss White	Repositionable	Air-egress	60" x 150'	45	years

Overlaminates

promogard[™]

PG3000 Series Laminates

PG3000 Series overlaminate films are promotional clear 3.2 mil films that are available in Gloss, Matte and Luster. These films can be laminated to digital images including solvent and eco-solvent inkjet, and water-based inkjet prints to impart protection from abrasion, moisture, UV light and other potentially damaging effects in both indoor and outdoor environments.



Use with: All digitally printed media

Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight #	Outdoor Durability
PG3054W54L150	3.2 Gloss	D	70# CCV	54" x 150'	35	3
PG3054W60L150	Gloss Gloss	Permanent	78# CCK	60" x 150'	40	years
PG3254W54L150	32 M-H-	D	70# CCV	54" x 150'	35	3
PG3254W60L150	Matte	Permanent	78# CCK	60" x 150'	40	years
PG3354W54L150	3.2 Luster	D	70# CCV	54" x 150'	35	3
PG3354W60L150	Luster	Permanent	78# CCK	60" x 150'	40	years

promogard[™]

PG7000 Series Vinyl Overlaminate

These promotional laminating films provide protection and light control for POP, POS and general signage applications with a 4 years outdoor durability at a great economical price.



Use with: All digitally printed media

GLOSS finish	MATTE finish	LUSTR

PG7054	3.5 Gloss	Do was a sa a sa t	40# Kraft	54" x 150'	35	4
PG7060	Gloss	Permanent	40# Krait	60" x 150'	42	years
PG7254	3.0 Matte	Permanent	40# Kraft	54" x 150'	35	4 years

CCK- Clay coated kraft



LF3600 Series - Cast Vinyl Laminates

1.5 mil cast Matte and Gloss overlaminating films designed for full and partial vehicle wraps and other high-performance applications. This laminate enhances the image and protects against UV light exposure, moisture, dirt and abrasion and offers a durability of up to 5 years in exterior applications.



Use with: Gruv™ GV729R, GV729P and other high-performance print media

ATTE inish	GLOSS finish	<u>CAST</u>

Product Code		Face	Adhesive	Liner	Roll Size	Roll Weight#	Outdoor Durability
<u>LF3648</u>	1.5	O-+:	D	1 0 :I DET	54" x 150'	30	5
<u>LF3649</u>	mil	Optically Clear Gloss	Permanent	1.2 mil PET	60" x 150'	34	years
<u>LF3648GL75</u>					54" x 75'	19	
<u>LF3648G</u>	1.5 mil	Clear Gloss	Permanent	50# Glassine	54" x 150'	30	5 years
<u>LF3649G</u>					60" x 150'	34	
<u>LF3638GL75</u>					54" x 75'	19	
<u>LF3638G</u>	1.5 mil	Matte	Permanent	50# Glassine	54" x 150'	30	5 years
<u>LF3639G</u>					60" x 150'	34	

colorgard luv

LUV - Polymeric PVC Overlaminates that wet out over UV Inks

A 5-7 year overlaminating film. LUV is designed to enhance and protect all your digital images, including UV inkjet, from UV light degradation, moisture, dirt and abrasion.



Use with: All digitally printed media

Product Code	Face	Adhesive	Liner	Roll Size	Roll Weight#	Outdoor Durability
LUV8054W54L150	3.0 Gloss	Б	50 // NA//	54" x 150'	35	5
LUV8060W60L150	Gloss	Permanent	58# WK	60" x 150'	37	years
LUV8254W54L150	3.0 Matte	Б	FOUNT	54" x 150'	35	5
LUV8260W60L150	Matte	Permanent	58# WK	60" x 150'	37	years
LUV8354W54L150	3.0 Lustor	Б	FOUNT	54" x 150'	35	(5)
LUV8360W60L150	Luster	Permanent	58# WK	60" x 150'	37	years

PET - Polyester

G - Bleached GLASSINE

WK - White Kraft

Specialty Overlaminates

colorgard floor

Textured Floor Overlaminates

Textured overlaminates that provide slip resistance. Mactac's PF6600 exceeds the new ANSI/NFSI slip-resistant test B103.1 and B101.1 for outdoor high traffic areas. PF6300, PF6400 and PF6500 are recommended for indoor floors only.











Product Code		Face	Adhesive	Liner	Roll Size	Roll Weight#	Outdoor Durability
PF6315	5.0	DE (200 D)/C		83# Kraft	53.9" x 164'	37	N/A
PF6354L100	5.0 mil	PF6300 PVC	Permanent	83# Kraft	54" x 100'	29	N/A
PF6454	3.75 mil	PF6400 PP	Permanent	1.2 mil PET	54" x 150'	35	N/A
PF6500C	4.3 mil	PF6500 PVC	Permanent	1.2 mil PET	54" x 150'	37	N/A
PF6654W54L150	6.0 mil	PF6600 PVC	Permanent	78# WK	54" x 150'	48	1 year

colorgard®

PGD6000 Dry Erase - Hardcoated PET

Gloss, hard-coated PET for the ultimate in dry-erase capability with a wide variety of dry-erase pens.







PGD6054L150



PET

Permanent

1.2 mil PET

54" x 150'

18



colorgard®

Polyester Anti-Graffiti Films

Optically-clear laminating films which are engineered to protect your images and windows from vandalism and add an additional layer of safety from flying glass shards in case of breakage.











SAG38W54L150



Gloss PET

Permanent

1.5 mil PET

54" x 150'

25



WK- White kraft

PET - Polyester

6600 Opaque Cast Films - CV - 48" x 150' | CY - 60" x 150' Rolls

A 2.0 mil high-performance films for tough applications, including irregular surfaces and substrates with rivets and corrugations.















	Part	Color Name	Part	Color Name	Part	Color Name
	CV668927	BRIGHT YELLOW	CV668852	CARDINAL RED	CV667246	GLOSS BLACK
Stock	CV667249	GRAY	CV667024	FOREST GREEN	CV667247	MATTE BLACK
	CV667166	BRIGHT ORANGE	CV667084	MEDIUM SAPPHIRE BLUE	CV662120	GLOSS WHITE
	CV667654	ARREST-ME-RED	CV668542	INTENSE BLUE		

Carbon Fiber Wrap Film - 60" x 150' Rolls

High-performance cast vinyl film for graphics accents can be used for automotive graphics and striping, architectural, and signage.















Stock

MR33076W60L150

CARBON FIBER DIAGO WRAP BLACK

Color Cast Films

6800 Electric Cast Films - CV - 48" x 150' | CY - 60" x 150' Rolls

A 2.3 mil short-term indoor or outdoor high-impact graphic accents, including automotive aftermarket windshield graphics and accent stripes, retail window signage, trade show exhibits, point-of-purchase displays, die-cut letters and numbers and screen-printed decals.















	Part	Color Name	Part	Color Name	Part	Color Name
Stock	CV687609	ELECTRIC RED	CV687613	ELECTRIC GREEN	CV687615	ELECTRIC ORANGE
	CV687612	ELECTRIC FUCHSIA	CV687614	ELECTRIC YELLOW		

6700 Gemstone Cast Films - CV - 48" x 150' | CY - 60" x 150' Rolls

A 3.0 mil dynamic graphic accents; feature excellent surface gloss, color depth and opacity; ideal for RV and marine applications.















	CV677357	DIAMOND GEM	CV677669	ROSE QUARTZ GEM	CV677945	FIRE OPAL GEM
Stock	CV677591	SMOKY QUARTZ GEM	CV677684	TOPAZ GEM	CV678220	EMERALD GREEN
	CV677668	BERYL GEM				

6500 Metallic Cast Films - CV - 48" x 150' | CY - 60" x 150' Rolls

A 2.0 mil high-performance films for contoured or flat surfaces with rivets; have excellent weathering/aging performance for fleet, marine, and automotive graphics and striping, architectural signage, decals, computerized signs, and service station markings.

















Stock	

CV657142	AUTUMN GOLD METALLIC	CV657252	SILVER METALLIC	CV657254	GOLD METALLIC
CV657250	CHARCOAL METALLIC				

macmark[®]

3300PRO Series | 3.0 mil Calendared Vinyl | Permanent | 78# Clay Coated

This 3.0 mil gloss intermediate film is the workhorse of Mactac's computeraided signage vinyls. The product is coated with a permanent clear solvent acrylic adhesive protected by a 78# Clay Coated Kraft liner. These films are designed for application on flat to slightly curved surfaces which makes them an excellent choice to deliver a wide range of messages on a variety of substrates. Up to 5 years outdoor durability.













cases, atom of the objection and an analysis									
	48" x 150' Roll - 42 lbs.								
	Part	Color Name	Part	Color Name	Part	Color Name			
	<u>CV332900</u>	GLOSS WHITE	CV330323	SUNFLOWER	CV334905	BOTTLE GREEN			
GLOSS	CV338900	GLOSS BLACK	CV333900	MEDIUM BLUE	CV335940	PASSION RED			
Stock	<u>CV339900</u>	GLOSS CLEAR	CV333913	ROYAL BLUE	CV336900	SILVER			
	CV330122	ORANGE	CV333933	NAVY	CV337900	GOLD			
					CV339900	CLEAR			
MATTE Stock	CV332800	MATTE WHITE	CV338800	MATTE BLACK					

Marking Films

Application Tapes

Designed to assist in the application and transfer of pressure-sensitive decals. Also used for protection of screen printed, digitally printed or polished surfaces during storage or shipment. Available in white or clear.

Product Code	Product	Roll Size	Unit per Carton	Units of Measure	Weight		
<u>ST1048</u>	210 White Medium Tack Paper	48" x 300'	1	Roll	25		
<u>ST1054</u>	210 White Medium Tack Paper	54" x 300'	1	Roll	28		
<u>ST1060</u>	210 White Medium Tack Paper	60" x 300'	1	Roll	32		
<u>ST2024</u>	220 White High-tack Paper	24" x 300'	2	Ctn	24		
<u>ST2048</u>	220 White High-tack Paper	48" x 300'	1	Roll	25		
<u>ST3048</u>	230 Clear Medium Tack Film	48" x 300'	1	Roll	25		
Paint Mask							
A specialty vinyl film designed for paint mask applications with ultra-removable adhesive.							
PM338400	PM338400 3.2 mil Yellow Removable 54" x 150' 1 Roll 43						

permahold®

IP5000 - Opaque Mounting Adhesive

Opaque white polypropylene carrier double coated with a high-tack, high-bond acrylic adhesive for mounting graphics to a wide variety of mounting boards and other surfaces.







<u>IP5008</u>	
<u>IP5002</u>	
<u>IP5001</u>	4
<u>IP5040</u>	



White Opaque Carrier

Permanent/ Permanent

Polycoated Kraft

38" x 150'	21
51" x 150'	29
51" x 400'	64
60" x 150'	33

permahold®

PP5000 Polypropylene / Clear PP5600 PET - Mounting Adhesive

Economical, general purpose, high-bond rubber-based adhesive mounting films with a choice of an opaque white PET carrier or a clear PET carrier







Product Code		Face	Adhesive	Liner	Roll Size	Roll Weight#	Outdoor Durability
PP5051L150		White Polypropylene Carrier	Rubber- based Permanent/ Permanent	White polycoated paper	51" x 150'	24	3 years
PP5051L400	15				51" x 400'	65	
PP5054L150	1.5 mil				54" x 150'	26	
PP5054L400					54" x 400'	68	
PP5654L150		Clear PET Carrier	Rubber- based Permanent/ Permanent		54" x 150'	26	
PP5654L400	0.5 mil			White polycoated	54" x 400'	68	3
PP5651L150				paper	51" x 150'	24	years
PP5651L400					51" x 400'	65	

permahold®

PUV3100 - Optically Clear Face Mounting (2nd Surface) PET - Perm/Perm

These optically clear mounting films are engineered to face-mount or back-mount transparencies and other graphic images to glass, Plexiglas and other clear or translucent substrates. All of these contain UV inhibitors to help protect the image.









PUV3	141V	V41	L150

PUV3161W61L150

3.2 mil

PET Carrier

Permanent/ Permanent

2.0 mil PET

41" x 150' 30 61" x 150' 38



PET- Polyester

[^] Limited availability, discontinued items

Mounting Films

GS Series Tapes

GS Series tapes are constructed with an unsupported high strength pressure-sensitive adhesive with aggressive tack and peel adhesion. Great for low energy, uneven or irregular surfaces.

Product Code	Mils	Roll Size	Unit per Carton	Units of Measure	Weight
GS9020	20.0 mil	1" × 200'	8	Roll	20
GS9035	35.0 mil	3/4" x 200'	8	Roll	25

Application Tools



(marana)





Mactac HD Wrap Installation Gloves

IC1975 (M), IC1976 (L) - One Pair per package

Made with High-Density fabric, the glove glides over the film's surface, allowing maximum adhesive surface pressure from your hand during the installation. It can be used for vehicle wraps, walls, and windows using a dry application.

Flexible Media Cutter

IC1972 - 100 per carton

The Flexible Media Cutter is an easy and safe tool for wide-format media. It is ideal for large and small jobs, making it the perfect companion for your next installation.

Replacement Blades for Media Cutter

IC1974 - Pack of 10

Keep the blade sharp and clean by having easily replaceable spare blades on hand.

Soft Felt Squeegee

IC1970 -100 per carton

Felt squeegees are recommended for applications requiring a conformable edge, such as window and wall graphics or other graphics applications where scratching is a concern.

Hard Plastic Squeegee with Felt Buffers

IC1969 -100 per carton

Enhance the graphic application process using a Mactac squeegee with felt buffer to help prevent scratches and damage to the image. Using the non-buffered side when more pressure is needed. The Mactac Squeegee can be used to install car wraps, window graphics, wall graphics, Floor graphics, decals, or many other applications.

Replacement Felt Buffer for Plastic Squeegee

IC1973 Pack of 10

A replacement pack is offered when the felt buffer wears off on the plastic squeegee.

open image warranty

General warranty statement:

Mactac guarantees that the Mactac graphic media, when utilized as recommended by Mactac will perform and provide indoor and "outdoor durability" (1) for the period stated in the corresponding product performance guide from the date of application and under normal vertical exposure conditions provided that the film is properly stored and applied. Application must take place within one year of the original shipment date from Mactac. This warranty is contingent on the Mactac material being processed according to Mactac recommendations in our Product Performance Guides and Technical Bulletins. With use of approved printer, inks, clear coats or overlaminating films and associated processing materials (2) in accordance with Mactac and printer manufacturer recommended written processing instructions (3) and installation in accordance to the preparation and application instructions.

Mactac's warranty covers product quality regarding:

- a) Delivery of the correct product.
- b) Delivery of correctly identified product.
- c) Product produced within manufacturing specifications.
- d) The absence of visual or hidden defects in the pressure-sensitive construction.
- e) Correctly trimmed roll dimensions.

"Outdoor durability" for the purpose of this warranty is defined as no appreciable deterioration in the product when viewed from its intended viewing distance. This Open-Image Warranty will be based upon the least durable individual component or combination of components used in the Graphic production. Premature failure during the warranty period due to excessive cracking, crazing, blistering or loss of adhesion shall constitute a breach of warranty.

Warranted life is based on use in the central USA. Areas with greater weather extremes such as south Florida, the southwestern USA, Mexico and other similar regions in tropic, sub-tropic or high pollution areas cannot be expected to have the same durability. Therefore, durability in these regions will be 50% of, or two years less than, (whichever is greater) the durability published on the appropriate Performance Guides.

IMPORTANT NOTICE: The information given and the recommendations made herein are based on our research and are believed to be accurate, but no guarantee of their accuracy or completeness is made. In every case, user shall determine before using any product in full scale production, or in any way, whether such product is suitable for user's intended use for their particular purpose under their own operating conditions. User assumes all risk and liability whatsoever in connection with their use of any product. The products discussed herein are sold with an Open-Image WarrantySM , as to merchantability or fitness for a particular purpose, or any other warranty, expressed or implied. No representative of ours has any authority to waive or change the foregoing provisions, and no statement or recommendation not contained herein shall have any force of effect unless in an agreement signed by the officers of seller and manufacturer. Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent without authority from the owner of the patent. The following is made in lieu of all warranties, expressed or implied: Seller's and manufacturer's only obligation shall be to replace or credit such quantity of the product proved to be defective at its discretion.

Open-Image WarrantySM for Mactac[®] Media and Laminates:

You make the choice of printer and ink that are best for your business and Mactac will be the partner that stands behind you. Simply provide us with your system and if we have not already tested the combination, we'll run a comprehensive series of tests to insure the system works and then warrant your application. If we find the components are not compatible we'll let you know that, too, and make alternative recommendations. It's that simple!

We stand behind you. And, we work with the most popular printer and ink suppliers to ensure product compatibility and durability.

NORTH AMERICA SHIPPING FACILITIES

Mactac APPLETON West Quality Drive Greenville, WI 54942

Mactac KANSAS CITY 2108 Atlantic Avenue

N. Kansas City, MO 64116-3428

Mactac VANCOUVER 1401 West Fourth Plain Blvd. Dock 13 Vancouver, WA 98660

Mactac COLUMBUS 2576 Norcross Drive Columbus, IN 47201

Mactac SCRANTON 802 East Corey Street Scranton, PA 18505-3595

Mactac PHILADELPHIA 275 Lower Morrisville Rd. Fallsington, PA 19054

Mactac LOS ANGELES 5700 E. Airport Drive, Suite B Ontario, CA 91761

Mactac SPARTANBURG 1896 Moore Duncan Hwy Moore, SC 29369

Mactac MINNEAPOLIS 2108 Atlantic Avenue Minneapolis, MN 55141

